



Plastic Auxiliary Machine

Zhangjiagang Retech Machinery Co.,Ltd



Water Treatment

Model	Power(kw/h)	Space (M2)	Capacity(t/h)
RM-5T	9	50	5
RM-10T	13	60	10
RM-20T	16	80	20
RM-30T	20	100	30




Product Overview

- This scheme is special designed for high turbidity waste water from the plastic washing line, which includes lots of sludge, grease, sand, finally to make the treated water to be reusing standard.



PP PE Film Squeezer

Model	Power(kw)	Moisture (%)	Capacity(kg/h)
RM-300	110	3-5	300
RM-320	132	3-5	500
RM-350	200	3-5	1000



Product Overview

- The PP PE film squeezer is a special dewatering and densifying machine for wet PP/PE film and woven bag flakes after washing. It mechanically squeezes out water from soft plastic materials, reduces moisture content and compresses fluffy film scraps into dense strips. It greatly lowers moisture before extrusion, cuts drying energy cost and solves feeding bridging problems for the downstream pelletizing line.



Single Shaft Shredder

Model	Main Power (kw)	Speed	Rotor Dia	Capacity(kg/h)
RM-800	37-45	60	340	300-400
RM-1000	55-75	60	400	500-600
RM-1200	75-90	60	400	800-1000



Product Overview

- Single shaft plastic shredder is a heavy-duty primary size reduction machine for all kinds of waste plastic. It cuts bulky, large-volume plastic waste into uniform small pieces, making feeding easier for crushers, washing lines and pelletizing systems. Widely used in plastic recycling plants for pre-shredding.

